

CXCR4 Polyclonal Antibody


CATALOG #: 5224-100
AMOUNT: 100 µg
LOT #: _____
HOST: Rabbit
IMMUNOGEN: Synthetic peptide mapping to the N-terminus of human CXCR4
SPECIES REACTIVITY: human, mouse

FORMULATION:
 100 µg (0.5 mg/ml) peptide affinity purified rabbit anti-CXCR4 polyclonal antibody in phosphate buffered saline (PBS), pH 7.2, containing 30% glycerol, 0.5% BSA, 0.01% thimerosal.

STORAGE CONDITIONS:
 Store at -20°C. For long term storage, aliquot and freeze at -70°C. Avoid repeated freeze/thaw cycles.

BACKGROUND:
 Human immunodeficiency virus (HIV) and related virus require coreceptors, in addition to CD4, to infect target cells. Some G protein-coupled receptors including CCR5, CXCR4, CCR3, CCR2b and CCR8 in the chemokine receptor family, and four new human molecules GPR15, STRL33, GPR1 and V28 were recently identified as HIV coreceptors. Among them, CXCR4 (fusin, LESTR or HUMSTR) is a principal coreceptor for T-cell tropic strains of HIV-1 fusion and entry of human white blood cells. CXCR4 is also required for the infection by dual-tropic strains of HIV-1 and mediates CD-4 independent infection by HIV-2. The chemokine SDF-1 is the ligand for CXCR4 and prevents infection by T-tropic HIV-1. CXCR4 associates with the surface CD4-gp120 complex before HIV enters target cells. CXCR4 messenger RNA levels correlated with HIV-1 permissiveness in diverse human cell types. Antibodies to CXCR4 block HIV-1 and HIV-2 fusion and infection of human target cells. The amino-terminal domain and the second extracellular loop of CXCR4 serve as HIV binding sites.

APPLICATION AND USAGE:
 The antibody can be used for Western blot analysis (0.5-4 µg/ml), immunoprecipitation, and immunocytochemistry. However, the optimal conditions should be determined individually. A 43 kDa band should be detected. HeLa cell lysate can be used as a positive control.



Cat.#: 5224-100
 Western blot analysis of CXCR4 with HeLa cell lysate.

RELATED PRODUCTS:

- Apoptosis Detection Kits & Reagents
 - Annexin V Kits & Bulk Reagents
 - Caspase Assay Kits & Reagents
 - Mitochondrial Apoptosis Kits & Reagents
 - Nuclear Apoptosis Kits & Reagents
 - Apoptosis Inducers and Set
 - Apoptosis siRNA Vectors
- Cell Fractionation System
 - Mitochondria/Cytosol Fractionation Kit
 - Nuclear/Cytosol Fractionation Kit
 - Membrane Protein Extraction Kit
 - Cytosol/Particulate Rapid Separation Kit
 - Mammalian Cell Extraction Kit
 - FractionPREP Fractionation System
- Cell Proliferation & Senescence
 - Quick Cell Proliferation Assay Kit
 - Senescence Detection Kit
 - High Throughput Apoptosis/Cell Viability Assay Kits
 - LDH-Cytotoxicity Assay Kit
 - Bioluminescence Cytotoxicity Assay Kit
 - Live/Dead Cell Staining Kit
- Cell Damage & Repair
 - HDAC Fluorometric & Colorimetric Assays & Drug Discovery Kits
 - HAT Colorimetric Assay Kit & Reagents
 - DNA Damage Quantification Kit
 - Glutathione & Nitric Oxide Fluorometric & Colorimetric Assay Kits
- Signal Transduction
 - cAMP & cGMP Assay Kits
 - Akt & JNK Activity Assay Kits
 - Beta-Secretase Activity Assay Kit
- Adipocyte & Lipid Transfer
 - Recombinant Adiponectin, Survivin, & Leptin
 - CETP Activity Assay & Drug Discovery Kits
 - PLTP Activity Assay & Drug Discovery Kits
 - Total Cholesterol Quantification Kit
- Molecular Biology & Reporter Assays
 - siRNA Vectors
 - Cloning Insert Quick Screening Kit
 - Mitochondrial & Genomic DNA Isolation Kits
 - 5 Minutes DNA Ligation Kit
 - 20 Minutes Gel Staining/Destaining Kit
 - β-Galactosidase Staining Kit & Luciferase Reporter Assay Kit
- Growth Factors and Cytokines
- Monoclonal and Polyclonal Antibodies