

SAFETY DATA SHEET

Cat# 2409-1, EZSolution™ 3-Deazaneplanocin

SDS DATE: Sep 13, 2013

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: EZSolution™ 3-Deazaneplanocin
PRODUCT CODES: Cat# 2409-1
MANUFACTURER: BioVision, Inc.
ADDRESS: 155 S. Milpitas Boulevard, Milpitas, CA 95035
EMERGENCY PHONE: 858-373-8066
CHEMTREC PHONE:
OTHER CALLS: 408-493-1800
FAX PHONE: 408-493-1801

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

Product Name/Chemical Name	Description	Volume	Safety Information
EZSolution™ 3-Deazaneplanocin	10 mM solution in anhydrous DMSO	1 mg	See below

SECTION 3: HAZARDS IDENTIFICATION

Components	CAS Number	EC-No.	Molecular Weight	Chemical Formula
3-Deazaneplanocin	102052-95-9	--	262.26	C ₁₂ H ₁₄ N ₄ O ₃
DMSO	67-68-5	200-664-3	78.13	C ₂ H ₆ OS

3-Deazaneplanocin:

Emergency Overview:

OSHA Hazards: No known OSHA hazards

GHS Classification: Not a dangerous substance according to GHS

GHS Label elements, including precautionary statements

Pictogram: none

Signal word: none

Hazard statement(s): none

Precautionary statement(s): none

HMIS Classification

Health hazard: 0

Flammability: 0

Physical hazards: 0

NFPA Rating

Health Hazard: 0

Fire: 0

Reactivity Hazard: 0

Potential Health Effects

Inhalation: May be harmful if inhaled. May cause respiratory tract irritation.

Skin: May be harmful if absorbed through skin. May cause skin irritation.

Eyes: May cause eye irritation.

Ingestion: May be harmful if swallowed.

DMSO:

Emergency Overview

OSHA Hazards: Combustible liquid, Target organ effect

Target Organs: Eyes, Skin

GHS Classification: Flammable liquids (Category 4)

GHS Label elements, including precautionary statements

Pictogram: none

Signal word: Warning

Hazard statement(s): H227 Combustible liquid

Precautionary statement(s): none

HMIS Classification

Health hazard: 0

Chronic Health Hazard: *

Flammability: 2

Physical hazards: 0

NFPA Rating

Health hazard: 0

Fire: 2

Reactivity Hazard: 0

SAFETY DATA SHEET

Cat# 2409-1, EZSolution™ 3-Deazaneplanocin

SDS DATE: Sep 13, 2013

Potential Health Effects

Inhalation: May be harmful if inhaled. May cause respiratory tract irritation.

Skin: May be harmful if absorbed through skin. May cause skin irritation.

Eyes: May cause eye irritation.

Ingestion: May be harmful if swallowed.

Aggravated Medical Condition: Avoid contact w/DMSO solutions containing toxic materials or materials with unknown toxicological properties. DMSO is readily absorbed through skin and may carry such materials into the body.

SECTION 4: FIRST AID MEASURES

General advice: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact: Wash off with soap and plenty of water. Consult a physician.

In case of eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed: DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5: FIRE-FIGHTING MEASURES

DMSO:

Suitable extinguishing media: For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

Special protective equipment for firefighters: Wear self-contained breathing apparatus for firefighting if necessary.

Hazardous combustion products: Hazardous decomposition products formed under fire conditions – see section 10.

Further information: Use water spray to cool unopened containers.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions: Avoid breathing vapors, mist or gas. Avoid dust formation. Ensure adequate ventilation.

Environmental precautions: Do not let product enter drains.

Methods for cleaning up: Sweep up and keep in suitable, closed containers for disposal. Ventilate area and wash spill site after material pickup is complete.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Keep away from sources of ignition—no smoking. Take measures to prevent the buildup electrostatic charge.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Recommended storage temperature: -20 °C.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

DMSO:

Components	CAS-No.	Value	Control parameters	Basis
Dimethyl sulfoxide	67-68-5	TWA	250 ppm	USA. Workplace Environmental Exposure Levels (WEEL)

3-Deazaneplanocin:

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

Skin and body protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific workplace. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

General industrial hygiene practice.

SAFETY DATA SHEET

Cat# 2409-1, EZSolution™ 3-Deazaneplanocin

SDS DATE: Sep 13, 2013

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Property	3-Deazaneplanocin	DMSO
Appearance:	Of-white solid	Clear liquid
pH:	No data available	No data available
Water Solubility:	No data available	Completely miscible
Other Solubility:	~10 mg/ml in PBS (pH 7.2); ~1 mg/ml in EtOH; ~20 mg/ml in DMF & DMSO	No data available
Boiling Point (°C):	No data available	189 °C (372 °F)
Melting Point (°C):	No data available	16-19 °C (61-66 °F)
Flash Point (°C):	No data available	87 °C (189 °F)
Ignition Temperature (°C):	No data available	301 °C (574 °F)
Density:	No data available	1.1 g/ml

SECTION 10: STABILITY AND REACTIVITY

Property	3-Deazaneplanocin	DMSO
Chemical stability	Stable under recommended storage conditions	
Conditions to avoid:	No data available	Heat, Flames, Sparks
Materials to avoid:	No data available	Acid chlorides, phosphorus halides, strong acids, strong oxidizing agents, strong reducing agents
Hazardous decomposition products:	Carbon oxides, nitrogen oxides	Carbon oxides, sulfur oxides

SECTION 11: TOXICOLOGICAL INFORMATION

3-Deazaneplanocin:

Acute toxicity: no data available

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitization: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Teratogenicity: no data available

Specific target organ toxicity – single exposure (GHS): no data available

Specific target organ toxicity – repeated exposure (GHS): no data available

Aspiration hazard: no data available

Potential Health Effects

Inhalation: May be harmful if inhaled. May cause respiratory tract irritation.

Skin: May be harmful if absorbed through skin. May cause skin irritation.

Eyes: May cause eye irritation.

Ingestion: May be harmful if swallowed.

Signs and Symptoms of Exposure: To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects: no data available

Additional information: RTECS: not available

DMSO:

Acute toxicity: LD50 Oral – rat – 14,500 mg/kg

LC50 Inhalation – rat – 4 h – 40250 ppm

LD50 Dermal – rabbit – >5,000 mg/kg

Skin corrosion/irritation: Skin – rabbit – no skin irritation – 4h

Serious eye damage/eye irritation: Eyes – rabbit – mild eye irritation

Respiratory or skin sensitization: no data available

Germ cell mutagenicity: Genotoxicity in vitro – mouse – lymphocyte: Cytogenetic analysis

Genotoxicity in vitro – mouse – lymphocyte: Mutation in mammalian somatic cells

Genotoxicity in vivo – rat – Intraperitoneal: Cytogenetic analysis

Genotoxicity in vivo – mouse – Intraperitoneal: DNA damage

SAFETY DATA SHEET

Cat# 2409-1, EZSolution™ 3-Deazaneplanocin

SDS DATE: Sep 13, 2013

Carcinogenicity: Carcinogenicity – rat – Oral → Tumorigenic: equivocal tumorigenic agent by RTECS criteria. Skin and appendages: other: tumors.

Carcinogenicity – mouse – Oral → Tumorigenic: equivocal tumorigenic agent by RTECS criteria. Leukemia skin and appendages: other: tumors.

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Reproductive toxicity – rat – Intraperitoneal → Effects on fertility: abortion

Reproductive toxicity – rat – Intraperitoneal → Effects on fertility: post-implantation mortality (e.g. dead and/or resorbed implants per total number of implants)

Reproductive toxicity – rat – Subcutaneous → Effects on fertility: post-implantation mortality (e.g. dead and/or resorbed implants per total number of implants). Effects on fertility: litter size (e.g. # fetuses per litter; measured before birth)

Reproductive toxicity – mouse – Oral → Effects on fertility: post-implantation mortality (e.g. reduction in number of implants per female; total number of implants per corpora lutea). Effects on embryo/fetus: Fetotoxicity (except death, e.g. stunted fetus). Specific developmental abnormalities: musculoskeletal system.

Teratogenicity: Developmental toxicity – mouse – Intraperitoneal: Effects on embryo/fetus: Fetotoxicity (except death, e.g. stunted fetus).

Specific developmental abnormalities: musculoskeletal system

Specific target organ toxicity – single exposure (GHS): no data available

Specific target organ toxicity – repeated exposure (GHS): no data available

Aspiration hazard: no data available

Potential Health Effects

Inhalation: May be harmful if inhaled. May cause respiratory tract irritation.

Skin: May be harmful if absorbed through skin. May cause skin irritation.

Eyes: May cause eye irritation.

Ingestion: May be harmful if swallowed.

Aggravated Medical Condition: Avoid contact w/DMSO solutions containing toxic materials or materials with unknown toxicological properties. DMSO is readily absorbed through skin and may carry such materials into the body.

Signs and Symptoms of Exposure: Effects due to ingestion may include: nausea, fatigue, and/or headache.

Additional information: RTECS: PV6210000

SECTION 12: ECOLOGICAL INFORMATION

3-Deazaneplanocin:

Persistence and degradability: no data available

Toxicity: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: no data available

DMSO:

Persistence and degradability: no data available

Toxicity: Toxicity to fish: LC50 - Pimephales promelas (fathead minnow) - 34,000 mg/l - 96 h

LC50 - Oncorhynchus mykiss (rainbow trout) - 35,000 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia pulex (Water flea) - 27,500 mg/l

Toxicity to algae: EC50 - Lepomis macrochirus (Bluegill) - > 400,000 mg/l - 96 h

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: no data available

SECTION 13: DISPOSAL CONSIDERATIONS

Product: Observe all federal, state, and local environmental regulations.

Contaminated packaging: Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

3-Deazaneplanocin:

DOT (US): Not dangerous goods.

IMDG: Not dangerous goods.

IATA: Not dangerous goods.

DMSO:

DOT (US): UN-Number: 1993 Class: CBL Packing group: III; Proper shipping name: Combustible liquid, n.o.s. (Dimethyl sulfoxide); Marine pollutant: No; Poison Inhalation Hazard: No

SAFETY DATA SHEET

Cat# 2409-1, EZSolution™ 3-Deazaneplanocin

SDS DATE: Sep 13, 2013

IMDG: Not dangerous goods

IATA: Not dangerous goods

SECTION 15: REGULATORY INFORMATION

OSHA Hazards: DMSO: Combustible liquid, Target organ effect

SARA 302 Components: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards: DMSO: Fire Hazard, Chronic Health Hazard

Massachusetts Right To Know Components: No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components: Dimethyl sulfoxide, CAS-No. 67-68-5

New Jersey Right To Know Components: Dimethyl sulfoxide, CAS-No. 67-68-5

California Prop. 65 Components: This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects.

EU regulations

Component	Risk Phrases	Safety Phrases
3-Deazaneplanocin	--	--
DMSO	R10, R36/37/38	S24/25, S36/37/39, S45

SECTION 16: OTHER INFORMATION

DISCLAIMER:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. BioVision, Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.