

SAFETY DATA SHEET

SDS DATE: June 09, 2021

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Protein L Magnetic Beads
PRODUCT CODES: Cat# 6537-1
RESTRICTIONS ON USE: For laboratory research purposes. Not for drug or household use
MANUFACTURER: BioVision, Inc.
ADDRESS: 155 S. Milpitas Boulevard, Milpitas, CA 95035
EMERGENCY PHONE: 858-373-8066
OTHER CALLS: 408-493-1800
FAX PHONE: 408-493-1801
EMAIL: sds@biovision.com

SECTION 2: HAZARDS IDENTIFICATION

Component	Description	Volume	Safety Information
Protein L Magnetic Beads	Slurry (contains Ethanol)	6537-1: 1 ml	See below

Ethanol:

Emergency Overview

OSHA Hazards: Highly flammable liquid, Target organ effect, Irritant, Carcinogen

Target Organs: Nerves, Liver, Heart

GHS Classification: Flammable liquids (Category 2)

Skin irritation (Category 2)

Eye irritation (Category 2B)

Specific target organ toxicity – single exposure (Category 3)

GHS Label elements, including precautionary statements



Pictogram:

Signal word:

Danger

Hazard statement(s):

H225: Highly flammable liquid and vapor

H226 Flammable liquid and vapor.

Precautionary statement(s):

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

P403 + P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/ container to an approved waste disposal plant.

HMIS Classification

Health hazard: 2

Chronic health hazard: *

Flammability: 3

Physical hazards: 0

NFPA Rating

Health Hazard: 2

Fire: 3

Reactivity Hazard: 0

Potential Health Effects

Inhalation: May be harmful if inhaled. Causes respiratory tract irritation.

Skin: May be harmful if absorbed through skin. Causes skin irritation.

Eyes: Causes eye irritation.

SAFETY DATA SHEET

SDS DATE: June 09, 2021

Ingestion: May be harmful if swallowed.



SECTION 3:

Product Name/Chemical Name	CAS Number	EC-No.	MW	Chemical Formula	Concentration
Ethanol	64-17-5	200-578-6	46.07	C ₂ H ₆ O	20%

SECTION 4: FIRST AID MEASURES

Ethanol:

If inhaled: If breathed in, move person into fresh air. If not breathing, give artificial respiration.

In case of skin contact: Wash off with soap and plenty of water.

In case of eye contact: Flush eyes with water as a precaution.

If swallowed: Never give anything by mouth to an unconscious person. Rinse mouth with water.

SECTION 5: FIRE-FIGHTING MEASURES

Ethanol:

Condition of flammability: Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for fire-fighters: Wear self-contained breathing apparatus for firefighting if necessary.

Hazardous combustion products: Hazardous combustion products formed under fire conditions— no data available.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions: Avoid dust formation. Avoid breathing vapors, mist, gas, or dust.

Environmental precautions: Do not let product enter drains.

Methods for cleaning up: Sweep up and shovel. Keep in suitable, closed containers for disposal.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Recommended storage temperature: 4 °C

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value	Control parameters	Basis
Ethanol	64-17-5	TWA	1,000 ppm	USA. ACGIH Threshold Limit Values (TLV)
Remarks: Upper respiratory tract irritation. Confirmed animal carcinogen with unknown relevance to humans.				
		TWA	1,000 ppm 1,900 mg/m ³	USA. OSHA: TABLE Z-1 Limits for Air Contaminants – 1910.1000
		TWA	1,000 ppm 1,900 mg/m ³	USA. Occupational Exposure Limits (OSHA): Table Z-1 Limits for Air Contaminants
	The value in mg/m ³ is approximate.			
		TWA	1,000 ppm 1,900 mg/m ³	USA. NIOSH recommended exposure limits

Personal protective equipment

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific workplace. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

General industrial hygiene practice.

SAFETY DATA SHEET

SDS DATE: June 09, 2021



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Property	Ethanol
Appearance:	Clear liquid
pH:	No data available
Water Solubility:	Completely soluble
Specific Gravity (g/ml):	No data available
Boiling Point (°C):	78-80 °C (172.4-176 °F)
Melting Point (°C):	-144 °C (-227.2 °F)
Flash Point (°C):	9 °C - closed cup
Ignition Temperature (°C):	363 °C (685°F)
Density	0.79 g/cm ³

SECTION 10: STABILITY AND REACTIVITY

Property	Ethanol
Chemical stability	Stable under recommended storage conditions
Conditions to avoid:	Heat, flames, sparks, direct sunlight
Materials to avoid:	Alkali metals, ammonia, oxidizing agents, peroxides
Hazardous decomposition products:	Carbon oxides

SECTION 11: TOXICOLOGICAL INFORMATION

Ethanol:

Acute toxicity: LD50 Oral – rat – 7,060 mg/kg → Remarks: Lungs, thorax, or respiration : other changes

LC50 Inhalation – rat – 10 h – 20000 ppm

Skin corrosion/irritation: Skin – rabbit – irritating to skin – 24 h

Serious eye damage/eye irritation: Eyes – rabbit – mild eye irritation – 24 h (Draize test)

Respiratory or skin sensitization: no data available

Germ cell mutagenicity: no data available

Carcinogenicity: Carcinogenicity – mouse – oral → Tumorigenic: equivocal tumorigenic agent by RTECS criteria. Liver: tumors. Blood: Lymphomas including Hodgkin's disease.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Reproductive toxicity – human – female – oral → Effects on newborn: apgar score (human only), other neonatal measures or effects, and drug dependence.

Teratogenicity: no data available

Specific target organ toxicity – single exposure (GHS): Inhalation – may cause respiratory irritation.

Specific target organ toxicity – repeated exposure (GHS): no data available

Aspiration hazard: no data available

Potential Health Effects

Inhalation: May be harmful if inhaled. Causes respiratory tract irritation.

Skin: May be harmful if absorbed through skin. Causes skin irritation.

Eyes: Causes eye irritation.

Ingestion: May be harmful if swallowed.

Signs and Symptoms of Exposure: Exposure may cause central nervous system depression, narcosis, and/or damage to the heart. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects: no data available

Additional information: RTECS: KQ6300000

SECTION 12: ECOLOGICAL INFORMATION

Ethanol:

Persistence and degradability: Biodegradability Result: 95 % - Readily biodegradable

Toxicity: Toxicity to fish: LC50 – Pimephales promelas (fathead minnow) – 14,200 mg/l – 96 h

Toxicity to daphnia and other aquatic invertebrates: EC50 – Ceriodaphnia dubia (water flea) – 27,500 mg/l

Toxicity to algae: EC50 - Chlorella vulgaris (Fresh water algae) - 275 mg/l - 72 h

Bioaccumulative potential: Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: no data available

SAFETY DATA SHEET

SDS DATE: June 09, 2021



SECTION 13: DISPOSAL CONSIDERATIONS

Product: Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging: Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

Ethanol:

DOT (US): UN-number: 1170, Class: 3, Packing group: II; Proper shipping name: Ethanol; Marine pollutant: No; Poison inhalation hazard: No

IMDG: UN-number: 1170, Class: 3, Packing group: II; EMS-No: F-E, S-D; Proper shipping name: ETHANOL; Marine pollutant: No

IATA: UN-number: 1170, Class: 3, Packing group: II; Proper shipping name: Ethanol

SECTION 15: REGULATORY INFORMATION

Ethanol:

OSHA Hazards: Highly flammable liquid, Target organ effect, Irritant, Carcinogen

SARA 302 Components: SARA 302: No chemical in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title II, Section 313.

SARA 311/312 Hazards: Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components: Ethanol, CAS-No. 64-17-5, Revision Date: 2007-03-01

Pennsylvania Right To Know Components: Ethanol, CAS-No. 64-17-5, Revision Date: 2007-03-01

New Jersey Right To Know Components: Ethanol, CAS-No. 64-17-5, Revision Date: 2007-03-01

California Prop. 65 Components: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

EU regulations

Component	Risk Phrases	Safety Phrases
Ethanol	R11, R20/21/22	S16, S36/37/39, S45

SECTION 16: OTHER INFORMATION

OTHER INFORMATION:

PREPARATION INFORMATION:

DISCLAIMER:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. BioVision, Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.