

# SAFETY DATA SHEET

Cat# 9541-5, EZSolution™ SP600125

SDS DATE: Sep 2, 2015

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** EZSolution™ SP600125  
**PRODUCT CODES:** Cat# 9541-5  
**MANUFACTURER:** BioVision, Inc.  
**ADDRESS:** 155 S. Milpitas Boulevard, Milpitas, CA 95035  
**EMERGENCY PHONE:** 858-373-8066  
**CHEMTREC PHONE:**  
**OTHER CALLS:** 408-493-1800  
**FAX PHONE:** 408-493-1801

## SECTION 2: HAZARDS IDENTIFICATION

Component	Description	Volume	Safety Information
SP600125	In DMSO	5 mg	See below

### SP600125:

#### Emergency Overview

**OSHA Hazards:** Irritant

**GHS Classification:** Specific target organ toxicity – single exposure (Category 3)  
Eye irritation (Category 2A)  
Skin irritation (Category 2)

#### GHS Label elements, including precautionary statements

##### Pictogram:



**Signal word:** Warning

**Hazard statement(s):** H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.

**Precautionary statement(s):** P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 Wash hands thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312 Call a POISON CENTER or doctor/physician if you feel unwell.  
P332+P313 If skin irritation persists: Get medical advice/attention.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P362 Take off contaminated clothing and wash before reuse.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.  
P501 Dispose of contents/container to an approved waste disposal plant.

#### HMIS Classification

**Health hazard:** 2  
**Flammability:** 0  
**Physical hazards:** 0

#### NFPA Rating

**Health Hazard:** 2  
**Fire:** 0  
**Reactivity Hazard:** 0

#### Potential Health Effects

**Inhalation:** May be harmful if inhaled. Causes respiratory tract irritation.  
**Skin:** May be harmful if absorbed through skin. Causes skin irritation.  
**Eyes:** Causes eye irritation.  
**Ingestion:** May be harmful if swallowed.

### DMSO:

#### Emergency Overview

**OSHA Hazards:** Combustible liquid, Target organ effect

**Target Organs:** Eyes, Skin

**GHS Classification:** Flammable liquids (Category 4)

#### GHS Label elements, including precautionary statements

**Pictogram:** none  
**Signal word:** Warning

# SAFETY DATA SHEET

Cat# 9541-5, EZSolution™ SP600125

SDS DATE: Sep 2, 2015

Hazard statement(s): H227 Combustible liquid

Precautionary statement(s): none

## HMIS Classification

Health hazard: 0

Chronic Health Hazard: \*

Flammability: 2

Physical hazards: 0

## NFPA Rating

Health hazard: 0

Fire: 2

Reactivity Hazard: 0

## Potential Health Effects

**Inhalation:** May be harmful if inhaled. May cause respiratory tract irritation.

**Skin:** May be harmful if absorbed through skin. May cause skin irritation.

**Eyes:** May cause eye irritation.

**Ingestion:** May be harmful if swallowed.

**Aggravated Medical Condition:** Avoid contact w/DMSO solutions containing toxic materials or materials with unknown toxicological properties. DMSO is readily absorbed through skin and may carry such materials into the body.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Product Name/Chemical Name	CAS Number	EC-No.	MW	Chemical Formula
SP600125	129-56-6	--	220.23	C <sub>14</sub> H <sub>8</sub> N <sub>2</sub> O
DMSO	67-68-5	200-664-3	78.13	C <sub>2</sub> H <sub>6</sub> OS

## SECTION 4: FIRST AID MEASURES

**General advice:** Consult a physician. Show this safety data sheet to the doctor in attendance.

**If inhaled:** If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

**In case of skin contact:** Wash off with soap and plenty of water. Consult a physician.

**In case of eye contact:** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**If swallowed:** Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 5: FIRE-FIGHTING MEASURES

### DMSO:

**Suitable extinguishing media:** For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

**Special protective equipment for firefighters:** Wear self-contained breathing apparatus for firefighting if necessary.

**Hazardous combustion products:** Hazardous combustion products formed under fire conditions – no data available.

**Further information:** Use water spray to cool unopened containers.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist, gas or dust. Ensure adequate ventilation. Evacuate personnel to safe areas.

**Environmental precautions:** Do not let product enter drains.

**Methods for cleaning up:** Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

## SECTION 7: HANDLING AND STORAGE

### Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.

### Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Recommended storage temperature: -20 °C.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### DMSO:

Components	CAS-No.	Value	Control parameters	Basis
Dimethyl sulfoxide	67-68-5	TWA	250 ppm	USA. Workplace Environmental Exposure Levels (WEEL)

**Personal protective equipment**  
Respiratory protection

# SAFETY DATA SHEET

Cat# 9541-5, EZSolution™ SP600125

SDS DATE: Sep 2, 2015

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

## Eye protection

Safety glasses with side-shields conforming to EN166. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin and body protection

Impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of the workday.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Property	SP600125	DMSO
Appearance:	Off-white solid	Clear liquid
pH:	No data available	No data available
Water Solubility:	No data available	Completely miscible
Other Solubility:	DMSO (100 mM), EtOH (10 mM)	No data available
Specific Gravity (g/ml):	No data available	189 °C (372 °F)
Boiling Point (°C):	No data available	16-19 °C (61-66 °F)
Melting Point (°C):	283 °C (541 °F)	87 °C (189 °F)
Flash Point (°C):	No data available	301 °C (574 °F)
Ignition Temperature (°C):	No data available	1.1 g/ml
Density	No data available	

## SECTION 10: STABILITY AND REACTIVITY

Property	SP600125	DMSO
Chemical stability	Stable under recommended storage conditions	Stable under recommended storage conditions
Conditions to avoid:	No data available	Heat, Flames, Sparks
Materials to avoid:	Strong oxidizing agents	Acid chlorides, Phosphorus halides, Strong acids, Strong oxidizing agents, Strong reducing agents
Hazardous decomposition products:	Carbon oxides, nitrogen oxides	Carbon oxides, sulfur oxides

## SECTION 11: TOXICOLOGICAL INFORMATION

### SP600125:

**Acute toxicity:** LD50 Intravenous – mouse – 178 mg/kg

**Skin corrosion/irritation:** no data available

**Serious eye damage/eye irritation:** no data available

**Respiratory or skin sensitization:** no data available

**Germ cell mutagenicity:** no data available

### Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** no data available

**Teratogenicity:** no data available

**Specific target organ toxicity – single exposure (GHS):** Inhalation – may cause respiratory irritation.

**Specific target organ toxicity – repeated exposure (GHS):** no data available

**Aspiration hazard:** no data available

### Potential Health Effects

**Inhalation:** May be harmful if inhaled. Causes tract irritation.

**Skin:** May be harmful if absorbed through skin. Causes skin irritation.

**Eyes:** Causes eye irritation.

**Ingestion:** Harmful if swallowed.

**Signs and Symptoms of Exposure:** To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# SAFETY DATA SHEET

Cat# 9541-5, EZSolution™ SP600125

SDS DATE: Sep 2, 2015

**Synergistic effects:** no data available

**Additional information:** RTECS: CB4585000

## DMSO:

**Acute toxicity:** LD50 Oral – rat – 14,500 mg/kg

LC50 Inhalation – rat – 4 h – 40250 ppm

LD50 Dermal – rabbit – >5,000 mg/kg

**Skin corrosion/irritation:** Skin – rabbit – no skin irritation – 4h

**Serious eye damage/eye irritation:** Eyes – rabbit – mild eye irritation

**Respiratory or skin sensitization:** no data available

**Germ cell mutagenicity:** Genotoxicity in vitro – mouse – lymphocyte: Cytogenetic analysis

Genotoxicity in vitro – mouse – lymphocyte: Mutation in mammalian somatic cells

Genotoxicity in vivo – rat – Intraperitoneal: Cytogenetic analysis

Genotoxicity in vivo – mouse – Intraperitoneal: DNA damage

**Carcinogenicity:** Carcinogenicity – rat – Oral → Tumorigenic: equivocal tumorigenic agent by RTECS criteria. Skin and appendages: other: tumors.

Carcinogenicity – mouse – Oral → Tumorigenic: equivocal tumorigenic agent by RTECS criteria. Leukemia skin and appendages: other: tumors.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Reproductive toxicity – rat – Intraperitoneal → Effects on fertility: abortion

Reproductive toxicity – rat – Intraperitoneal → Effects on fertility: post-implantation mortality (e.g. dead and/or resorbed implants per total number of implants)

Reproductive toxicity – rat – Subcutaneous → Effects on fertility: post-implantation mortality (e.g. dead and/or resorbed implants per total number of implants). Effects on fertility: litter size (e.g. # fetuses per litter; measured before birth)

Reproductive toxicity – mouse – Oral → Effects on fertility: post-implantation mortality (e.g. reduction in number of implants per female; total number of implants per corpora lutea). Effects on embryo/fetus: Fetotoxicity (except death, e.g. stunted fetus). Specific developmental abnormalities: musculoskeletal system.

**Teratogenicity:** Developmental toxicity – mouse – Intraperitoneal: Effects on embryo/fetus: Fetotoxicity (except death, e.g. stunted fetus).

Specific developmental abnormalities: musculoskeletal system

**Specific target organ toxicity – single exposure (GHS):** no data available

**Specific target organ toxicity – repeated exposure (GHS):** no data available

**Aspiration hazard:** no data available

## **Potential Health Effects**

**Inhalation:** May be harmful if inhaled. May cause respiratory tract irritation.

**Skin:** May be harmful if absorbed through skin. May cause skin irritation.

**Eyes:** May cause eye irritation.

**Ingestion:** May be harmful if swallowed.

**Aggravated Medical Condition:** Avoid contact w/DMSO solutions containing toxic materials or materials with unknown toxicological properties. DMSO is readily absorbed through skin and may carry such materials into the body.

**Signs and Symptoms of Exposure:** Effects due to ingestion may include: nausea, fatigue, and/or headache.

**Additional information:** RTECS: PV6210000

---

## SECTION 12: ECOLOGICAL INFORMATION

### SP600125:

**Persistence and degradability:** no data available

**Toxicity:** no data available

**Bioaccumulative potential:** no data available

**Mobility in soil:** no data available

**PBT and vPvB assessment:** no data available

**Other adverse effects:** no data available

### DMSO:

**Elimination information (persistence and degradability):** no data available

**Ecotoxicity effects:** Toxicity to fish: LC50 - Pimephales promelas (fathead minnow) - 34,000 mg/l - 96 h

LC50 - Oncorhynchus mykiss (rainbow trout) - 35,000 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia pulex (Water flea) - 27,500 mg/l

Toxicity to algae: EC50 - Lepomis macrochirus (Bluegill) - > 400,000 mg/l - 96 h

**Further information on ecology:** no data available

---

## SECTION 13: DISPOSAL CONSIDERATIONS

**Product:** Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

**Contaminated packaging:** Dispose of as unused product.

# SAFETY DATA SHEET

Cat# 9541-5, EZSolution™ SP600125

SDS DATE: Sep 2, 2015

## SECTION 14: TRANSPORT INFORMATION

### SP600125:

**DOT (US):** Not dangerous goods.

**IMDG:** Not dangerous goods.

**IATA:** Not dangerous goods.

### DMSO:

**DOT (US):** UN-Number: 1993 Class: CBL Packing group: III; Proper shipping name: Combustible liquid, n.o.s. (Dimethyl sulfoxide); Marine pollutant: No; Poison Inhalation Hazard: No

**IMDG:** Not dangerous goods.

**IATA:** Not dangerous goods.

## SECTION 15: REGULATORY INFORMATION

**SARA 302 Components:** SARA 302: No chemical in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components:** SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title II, Section 313.

**SARA 311/312 Hazards:** SP600125: Acute Health Hazard

Dimethyl sulfoxide: Fire Hazard, Chronic Health Hazard

**Massachusetts Right To Know Components:** No components are subject to the Massachusetts Right to Know Act.

**Pennsylvania Right To Know Components:** Anthra[1-9-cd]pyrazol-6(2H)-one, CAS-No. 129-56-6

Dimethyl sulfoxide CAS-No. 67-68-5; Revision Date: 2007-03-01

**New Jersey Right To Know Components:** Anthra[1-9-cd]pyrazol-6(2H)-one, CAS-No. 129-56-6

Dimethyl sulfoxide CAS-No. 67-68-5; Revision Date: 2007-03-01

**California Prop. 65 Components:** This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### EU regulations

Component	Risk Phrases	Safety Phrases
SP600125	R36/37/38	S26, S36
DMSO	R10, R36/37/38	S24/25, S36/37/39, S45

## SECTION 16: OTHER INFORMATION

### DISCLAIMER:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. BioVision, Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.