

SAFETY DATA SHEET

SDS DATE: April 16, 2020

Cat# E4640-100 Cathepsin G (CTSG) (Rat) ELISA Kit

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Cathepsin G (CTSG) (Rat) ELISA Kit
PRODUCT CODES: Cat# E4640-100
RESTRICTIONS ON USE: For laboratory research purposes. Not for drug or household use.
MANUFACTURER: BioVision, Inc.
DIVISION:
ADDRESS: 155 S. Milpitas Blvd. Milpitas, CA 95035
EMERGENCY PHONE: 858-373-8066
CHEMTREC PHONE:
OTHER CALLS: 408-493-1800
FAX PHONE: 408-493-1801

SECTION 2: HAZARDS IDENTIFICATION

| Component | Description | Volume | Safety Information |
|---|--------------------------------------|---------------|--------------------|
| Micro ELISA Plate | -- | 8 X 12 strips | No hazards |
| Lyophilized Standard | Liquid | 2 vials | No hazards |
| Sample / Standard dilution buffer | Liquid | 20 ml | No hazards |
| Biotin- detection antibody (Concentrated) | Liquid | 120 µl | No hazards |
| Antibody dilution buffer | Liquid | 10 ml | No hazards |
| HRP-Streptavidin Conjugate (SABC) (Avoid light) | Liquid | 120 µl | No hazards |
| SABC dilution buffer | Liquid | 10 ml | No hazards |
| TMB substrate (Avoid light) | Liquid | 10 ml | No hazards |
| Stop Solution | Liquid (contains sulfuric acid <10%) | 10 ml | See below |
| Wash buffer (25X) | Liquid | 30 ml | No hazards |
| Plate sealers | -- | 5 | No hazards |

Sulfuric acid:

Emergency Overview

OSHA Hazards: Target organ effect, Corrosive

Target Organs: Teeth, Lungs

GHS Classification:

Corrosive to metals
Skin corrosion (Category 1A)
Serious eye damage (Category 1)
Acute aquatic toxicity (Category 3)

GHS Label elements, including precautionary statements

Pictogram:



Signal word:

Danger

Hazard statement(s):

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

Precautionary statement(s):

P234 Keep only in original container.
P264 Wash skin thoroughly after handling.
P280 Wear eye protection/ face protection.
P280 Wear protective gloves.

SAFETY DATA SHEET

SDS DATE: April 16, 2020

Cat# E4640-100 Cathepsin G (CTSG) (Rat) ELISA Kit

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.
P390 Absorb spillage to prevent material damage.
P406 Store in corrosive resistant stainless steel container with a resistant inner liner.

HMIS Classification

Health hazard: 3
Chronic health hazard: *
Flammability: 0
Physical hazards: 2

NFPA Rating

Health hazard: 3
Fire: 0
Reactivity hazard: 0
Special hazard: W

Potential Health Effects

Inhalation: May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.
Skin: May be harmful if absorbed through skin. Causes skin burns.
Eyes: Causes eye burns.
Ingestion: May be harmful if swallowed

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Component | CAS Number | EC-No. | Molecular Weight | Chemical Formula | Concentration |
|---------------|------------|-----------|------------------|---------------------------------|---------------|
| Sulfuric acid | 7664-93-9 | 231-639-5 | 98.08 | H ₂ O ₄ S | <10% |

SECTION 4: FIRST AID MEASURES

General advice: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
If inhaled: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
In case of skin contact: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.
In case of eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.
If swallowed: DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

SECTION 5: FIRE-FIGHTING MEASURES

Condition of flammability: Not flammable or combustible.
Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Special protective equipment for fire-fighters: Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.
Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
Methods for cleaning up: Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Avoid inhalation of vapor or mist.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.
Recommended storage temperature: 4°C

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Sulfuric acid:

| Components | CAS-No. | Value | Control parameters | Basis |
|------------|---------|-------|--------------------|-------|
|------------|---------|-------|--------------------|-------|

SAFETY DATA SHEET

SDS DATE: April 16, 2020

Cat# E4640-100 Cathepsin G (CTSG) (Rat) ELISA Kit

| | | | | |
|---------------|-----------|-----|-----------------------|---|
| Sulfuric acid | 7664-93-9 | TWA | 0.2 mg/m ³ | USA. ACGIH Threshold Limit Values (TLV) |
| | | TWA | 1 mg/m ³ | USA. OSHA – Table Z-1 Limits for Air Contaminants – 1910.1000 |
| | | TWA | 1 mg/m ³ | USA. Occupational Exposure Limits (OSHA) – Table Z-1: Limits for Air Contaminants |

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection

Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

| Property | Sulfuric acid |
|----------------------------|------------------------|
| Appearance: | Liquid |
| pH: | 1.2 at 5 g/l |
| Water Solubility: | Soluble |
| Other Solubility: | 290 °C (554 °F) |
| Boiling Point (°C): | 3 °C (37 °F) |
| Melting Point (°C): | No data available |
| Flash Point (°C): | No data available |
| Ignition Temperature (°C): | 1.84 g/cm ³ |
| Density: | Sulfuric acid |

SECTION 10: STABILITY AND REACTIVITY

| Property | Sulfuric acid |
|-----------------------------------|--|
| Chemical stability: | Stable under recommended storage conditions |
| Conditions to avoid: | No data available |
| Materials to avoid: | Bases, halides, organic materials, carbides, fulminates, nitrates, picrates, cyanides, chlorates, alkali halides, zinc salts, permanganates, hydrogen peroxide, azides, perchlorates, nitromethane, phosphorus. Reacts violently with: cyclopentadiene, cyclopentanone oxime, nitroaryl amines, hexalithium disilicide, phosphorus (III) oxides, powdered metals |
| Hazardous decomposition products: | Sodium oxides |

SECTION 11: TOXICOLOGICAL INFORMATION

Sulfuric acid:

Acute toxicity: LD50 Oral – rat – 2,140 mg/kg

LC50 Inhalation – rat – 2 h – 510 mg/m³

Skin corrosion/irritation: Skin – rabbit – extremely corrosive and destructive to tissue

Serious eye damage/eye irritation: Eyes – rabbit – severe eye irritation

Respiratory or skin sensitization: no data available

Germ cell mutagenicity: no data available

Carcinogenicity: The International Agency for Research on Cancer (IARC) has determined that occupational exposure to strong-inorganic acid mists containing sulfuric acid is carcinogenic to rats (Group 1).

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed rat carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SAFETY DATA SHEET

SDS DATE: April 16, 2020

Cat# E4640-100 Cathepsin G (CTSG) (Rat) ELISA Kit

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Teratogenicity: no data available

Aspiration hazard: no data available

Potential Health Effects

Inhalation: May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.

Skin: May be harmful if absorbed through skin. Causes skin burns.

Eyes: Causes eye burns. Causes severe eye burns.

Ingestion: May be harmful if swallowed.

Signs and Symptoms of Exposure: Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. Spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, cough, wheezing, laryngitis, shortness of breath, headache, nausea, vomiting, pulmonary edema. Effects may be delayed. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects: no data available

Additional information: RTECS: WS5600000

SECTION 12: ECOLOGICAL INFORMATION

Sulfuric acid:

Persistence and degradability: no data available

Toxicity: Toxicity to fish: LC50 – Gambusia affinis (Mosquito fish) – 42 mg/l – 96 h

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

SECTION 13: DISPOSAL CONSIDERATIONS

Product: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact licensed professional waste disposal service to dispose of this material. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as some components in this kit are highly flammable.

Contaminated packaging: Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

Sulfuric acid:

DOT (US): Not dangerous goods

IMDG: Not dangerous goods

IATA: Not dangerous goods

Additional Information: This product maybe shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes.

This kit would have the following classification:

Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

SECTION 15: REGULATORY INFORMATION

SARA 302 Components: The following components are subject to reporting levels established by SARA Title III, Section 302:

Sulfuric acid, CAS-No. 7664-93-9; Revision Date: 2007-07-01

SARA 313 Components: The following components are subject to reporting levels established by SARA Title III, Section 313:

Sulfuric acid, CAS-No. 7664-93-9; Revision Date: 2007-07-01

SARA 311/312 Hazards:

Sulfuric acid: Acute Health Hazard, Chronic Health Hazard


Massachusetts Right To Know Components: Sulfuric acid, CAS-No. 7664-93-9; Revision Date: 2007-07-01

Pennsylvania Right To Know Components:

Sulfuric acid, CAS-No. 7664-93-9; Revision Date: 2007-07-01

New Jersey Right To Know Components:

Sulfuric acid, CAS-No. 7664-93-9; Revision Date: 2007-07-01

California Prop. 65 Components:  WARNING: This product can expose you to chemicals including TMB, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

EU regulations

| Component | Risk Phrases | Safety Phrases |
|---------------|--------------|----------------|
| Sulfuric acid | R35 | S26, S30, S45 |

SECTION 16: OTHER INFORMATION:

SAFETY DATA SHEET

SDS DATE: April 16, 2020

Cat# E4640-100 Cathepsin G (CTSG) (Rat) ELISA Kit

DISCLAIMER:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. BioVision, Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.