

SAFETY DATA SHEET

Cat# K337-100, NAD/NADH Quantification Kit

SDS DATE: 17APR2015

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: NAD/NADH Quantification Kit
PRODUCT CODES: Cat# K337-100
MANUFACTURER: BioVision, Inc.
DIVISION:
ADDRESS: 155 South Milpitas Blvd., Milpitas, CA 95035
EMERGENCY PHONE: 858-373-8066
CHEMTREC PHONE:
OTHER CALLS: 408-493-1800
FAX PHONE: 408-493-1801

SECTION 2: HAZARDS IDENTIFICATION

Component	Description	Volume	Safety Information
NAD/NAD Extraction Buffer	Proprietary Buffer	50 ml	No hazards
NAD Cycling Buffer	Proprietary Buffer (contains ethanol)	15 ml	See below
NAD Cycling Enzyme Mix	Lyophilized	1 vial	No hazards
NADH Developer	Lyophilized	1 vial	No hazards
Stop Solution	Liquid (contains SDS)	1.2 ml	See below
NADH Standard (MW: 763)	Lyophilized	152.6 µg	No hazards

Ethanol:

Emergency Overview

OSHA Hazards: Combustible liquid, Target organ effect, Irritant, Carcinogen

Target Organs: Nerves, Liver, Heart

GHS Classification: Flammable liquids (Category 3)
Skin irritation (Category 2)
Eye irritation (Category 2B)
Specific target organ toxicity – single exposure (Category 3)

GHS Label elements, including precautionary statements

Pictogram: none

Signal word: warning

Hazard statement(s): H226: combustible liquid

Precautionary statement(s): P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

HMIS Classification

Health hazard: 2

Chronic health hazard: *

Flammability: 2

Physical hazards: 0

NFPA Rating

Health Hazard: 2

Fire: 2

Reactivity Hazard: 0

Potential Health Effects

Inhalation: May be harmful if inhaled. Causes respiratory tract irritation.

Skin: May be harmful if absorbed through skin. Causes skin irritation.

Eyes: Causes eye irritation.

Ingestion: May be harmful if swallowed.

SDS:

OSHA Hazards: Target organ effect, Irritant, Harmful by ingestion, Toxic by skin absorption

Target Organs: Lungs

GHS Classification: Acute toxicity, Oral (Category 4)
Acute toxicity, Dermal (Category 3)
Skin irritation (Category 2)
Eye irritation (Category 2B)
Specific target organ toxicity – single exposure (Category 3)

GHS Label elements, including precautionary statements

SAFETY DATA SHEET

Cat# K337-100, NAD/NADH Quantification Kit

SDS DATE: 17APR2015

Pictogram:



Signal word: warning
Hazard statement(s): H315 - Causes skin irritation
H319 - Causes serious eye irritation
H335 - May cause respiratory irritation

Precautionary statement(s): P261 Avoid breathing dust/fumes/gas/mist/vapors/spray.
P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P330 Rinse mouth.
P405 Store locked up.

HMIS Classification

Health hazard: 2
Chronic health hazard: *
Flammability: 0
Physical hazards: 0

NFPA Rating

Health Hazard: 2
Fire: 0
Reactivity Hazard: 0

Potential Health Effects

Inhalation: May be harmful if inhaled. Causes respiratory tract irritation.
Skin: Toxic if absorbed through skin. Causes skin irritation.
Eyes: Causes eye irritation.
Ingestion: Harmful if swallowed.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS Number	EC-No.	Molecular Weight	Chemical Formula
Ethanol	64-17-5	200-578-6	46.07	C ₂ H ₆ O
Sodium dodecyl sulfate (SDS)	151-21-3	205-788-1	288.38	C ₁₂ H ₂₅ O ₄ SNa

SECTION 4: FIRST AID MEASURES

General advice: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact: Wash off with soap and plenty of water. Consult a physician.

In case of eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

SECTION 5: FIRE-FIGHTING MEASURES

Ethanol:

Condition of flammability: Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for fire-fighters: Wear self-contained breathing apparatus if necessary.

Hazardous combustion products: Hazardous decomposition products formed under fire conditions— see section 10.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist, or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods for cleaning up: Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Recommended storage temperature: -20 °C.

SAFETY DATA SHEET

Cat# K337-100, NAD/NADH Quantification Kit

SDS DATE: 17APR2015

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Ethanol:

Components	CAS-No.	Value	Control parameters	Basis
Ethanol	64-17-5	TWA	1,000 ppm	USA. ACGIH Threshold Limit Values (TLV)
Remarks: Upper respiratory tract irritation. Confirmed animal carcinogen with unknown relevance to humans.				
		TWA	1,000 ppm 1,900 mg/m ³	USA. OSHA: TABLE Z-1 Limits for Air Contaminants – 1910.1000
		TWA	1,000 ppm 1,900 mg/m ³	USA. Occupational Exposure Limits (OSHA): Table Z-1 Limits for Air Contaminants
The value in mg/m ³ is approximate.				
		TWA	1,000 ppm 1,900 mg/m ³	USA. NIOSH recommended exposure limits

Nicotinamide, Sodium carbonate, Triton X-100, EDTA, PMS, & SDS:

Contain no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection

Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Property	Ethanol	SDS
Appearance:	Clear liquid	Liquid
pH:	No data available	No data available
Water Solubility:	Completely soluble	No data available
Other Solubility:	No data available	No data available
Boiling Point (°C):	78-80 °C (172.4-176 °F)	No data available
Melting Point (°C):	-144 °C (-227.2 °F)	No data available
Flash Point (°C):	14 °C (57.2 °F)	No data available
Ignition Temperature (°C):	363 °C (685°F)	No data available
Density:	0.79 g/cm ³	1.010 g/cm ³

SECTION 10: STABILITY AND REACTIVITY

Property	Ethanol	SDS
Chemical stability:	Stable under recommended storage conditions	
Conditions to avoid:	Heat, flames, sparks, direct sunlight	No data available
Materials to avoid:	Alkali metals, ammonia, oxidizing agents, peroxides	Strong oxidizing agents
Hazardous decomposition products:	Carbon oxides	Carbon oxides, sulfur oxides, sodium oxides

SECTION 11: TOXICOLOGICAL INFORMATION

Ethanol:

Acute toxicity: LD50 Oral – rat – 7,060 mg/kg → Remarks: Lungs, thorax, or respiration : other changes

LC50 Inhalation – rat – 10 h – 20000 ppm

Skin corrosion/irritation: Skin – rabbit – irritating to skin – 24 h

Serious eye damage/eye irritation: Eyes – rabbit – mild eye irritation – 24 h (Draize test)

SAFETY DATA SHEET

Cat# K337-100, NAD/NADH Quantification Kit

SDS DATE: 17APR2015

Respiratory or skin sensitization: no data available

Germ cell mutagenicity: no data available

Carcinogenicity: Carcinogenicity – mouse – oral → Tumorigenic: equivocal tumorigenic agent by RTECS criteria. Liver: tumors. Blood: Lymphomas including Hodgkin's disease.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Reproductive toxicity – human – female – oral → Effects on newborn: apgar score (human only), other neonatal measures or effects, and drug dependence.

Teratogenicity: no data available

Specific target organ toxicity – single exposure (GHS): Inhalation – may cause respiratory irritation.

Specific target organ toxicity – repeated exposure (GHS): no data available

Aspiration hazard: no data available

Potential Health Effects

Inhalation: May be harmful if inhaled. Causes respiratory tract irritation.

Skin: May be harmful if absorbed through skin. Causes skin irritation.

Eyes: Causes eye irritation.

Ingestion: May be harmful if swallowed.

Signs and Symptoms of Exposure: Exposure may cause central nervous system depression, narcosis, and/or damage to the heart. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects: no data available

Additional information: RTECS: KQ6300000

SDS:

Acute toxicity: no data available

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitization: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Teratogenicity: no data available

Specific target organ toxicity – single exposure (GHS): Inhalation – may cause respiratory irritation.

Specific target organ toxicity – repeated exposure (GHS): no data available

Aspiration hazard: no data available

Potential Health Effects

Inhalation: May be harmful if inhaled. Causes respiratory tract irritation.

Skin: Toxic if absorbed through skin. Causes skin irritation.

Eyes: Causes eye irritation.

Ingestion: Harmful if swallowed.

Signs and Symptoms of Exposure: The sodium salt of dodecyl sulfate has been reported to cause pulmonary sensitization resulting in hyperactive airway dysfunction and pulmonary allergy accompanied by fatigue, malaise, and aching. Significant symptoms of exposure can persist for more than two years and can be activated by a variety of nonspecific environmental stimuli such as automobile exhaust, perfumes, and passive smoking. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Additional information: RTECS: not available

SECTION 12: ECOLOGICAL INFORMATION

SDS Solution (10% in H2O):

Persistence and degradability: no data available

Toxicity: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life.

SECTION 13: DISPOSAL CONSIDERATIONS

SAFETY DATA SHEET

Cat# K337-100, NAD/NADH Quantification Kit

SDS DATE: 17APR2015

Product: Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging: Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

Ethanol:

DOT (US): UN-number: 1170, Class: 3, Packing group: II; Proper shipping name: Ethanol; Marine pollutant: No; Poison inhalation hazard: No

IMDG: UN-number: 1170, Class: 3, Packing group: II; EMS-No: F-E, S-D; Proper shipping name: ETHANOL; Marine pollutant: No

IATA: UN-number: 1170, Class: 3, Packing group: II; Proper shipping name: Ethanol

SDS:

DOT (US): Not dangerous goods.

IMDG: Not dangerous goods.

IATA: Not dangerous goods.

SECTION 15: REGULATORY INFORMATION

OSHA Hazards: Ethanol: Highly flammable liquid, Target organ effect, Irritant, Carcinogen

SDS: Target organ effect, Irritant, Harmful by ingestion, Toxic by skin absorption

SARA 302 Components: SARA 302: No chemical in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards: **SDS:** Acute Health Hazard, Chronic Health Hazard

Ethanol: Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components: Ethanol, CAS-No. 64-17-5, Revision Date: 2007-03-01

Pennsylvania Right To Know Components: Ethanol, CAS-No. 64-17-5, Revision Date: 2007-03-01

Sodium dodecyl sulfate, CAS-No. 151-21-3

New Jersey Right To Know Components: Ethanol, CAS-No. 64-17-5, Revision Date: 2007-03-01

Sodium dodecyl sulfate, CAS-No. 151-21-3

California Prop. 65 Components: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

EU regulations

Component	Risk Phrases	Safety Phrases
Ethanol	R11, R20/21/22	S16, S36/37/39, S45
SDS	R22, R24, R36/37/38	S24/25, S36/37/39

SECTION 16: OTHER INFORMATION

DISCLAIMER:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. BioVision, Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.