Cat# K628-100, Maltose Assay Kit

#### **SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

PRODUCT NAME: Maltose Assay Kit PRODUCT CODES: Cat# K628-100

MANUFACTURER: BioVision, Inc.

DIVISION:

ADDRESS: 155 S. Milpitas Blvd. Milpitas, CA 95035

**EMERGENCY PHONE:** 858-373-8066

CHEMTREC PHONE:

OTHER CALLS: 408-493-1800 FAX PHONE: 408-493-1801

# **SECTION 2: HAZARDS IDENTIFICATION**

Component	Description	Volume	Safety Information
Maltose Assay Buffer	Proprietary Buffer	25 ml	No hazards
Maltose Probe (DMSO)	in DMSO	200 ul	See below
Glucosidase	Lyophilized	n/a	No hazards
Enzyme Mix	Lyophilized	n/a	No hazards
Maltose Standard	liquid	100 µl	No hazards

SDS DATE: 8May2015

DMSO:

**Emergency Overview** 

OSHA Hazards: Combustible liquid, Target organ effect

Target Organs: Eyes, Skin

GHS Classification: Flammable liquids (Category 4) GHS Label elements, including precautionary statements

Pictogram: none
Signal word: Warning

Hazard statement(s): H227 Combustible liquid

Precautionary statement(s): none

HMIS Classification Health hazard: 0

Chronic Health Hazard: \*
Flammability: 2
Physical hazards: 0

NFPA Rating

Health hazard: 0

Fire: 2

Reactivity Hazard: 0
Potential Health Effects

**Inhalation:** May be harmful if inhaled. May cause respiratory tract irritation. **Skin:** May be harmful if absorbed through skin. May cause skin irritation.

Eyes: May cause eye irritation.

Ingestion: May be harmful if swallowed.

**Aggravated Medical Condition:** Avoid contact w/DMSO solutions containing toxic materials or materials with unknown toxicological properties. DMSO is readily absorbed through skin and may carry such materials into the body.

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS Number	EC-No.	Molecular Weight	Chemical Formula
DMSO	67-68-5	200-664-3	78.13	C <sub>2</sub> H <sub>6</sub> OS

# **SECTION 4: FIRST AID MEASURES**

General advice: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact: Wash off with soap and plenty of water. Consult a physician.

In case of eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed: DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# SECTION 5: FIRE-FIGHTING MEASURES

#### DMSO:

#### Cat# K628-100. Maltose Assav Kit

Suitable extinguishing media: For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

SDS DATE: 8May2015

Special protective equipment for firefighters: Wear self-contained breathing apparatus for firefighting if necessary. Hazardous combustion products: Hazardous decomposition products formed under fire conditions – see section 10. Further information: Use water spray to cool unopened containers.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist, or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

**Methods for cleaning up:** Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

#### **SECTION 7: HANDLING AND STORAGE**

#### Precautions for safe handling

Avoid inhalation of vapor or mist. Avoid contact with skin and eyes.

#### Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature: -20 °C

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### DMSO:

Components	CAS-No.	Value	Control parameters	Basis
Dimethyl sulfoxide	67-68-5	TWA	250 ppm	USA. Workplace Environmental Exposure Levels (WEEL)

#### Personal protective equipment

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### Eye protection

Safety glasses with side-shields conforming to EN166. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin and body protection

Impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Property	DMSO	
Appearance:	Clear liquid	
pH:	No data available	
Water Solubility:	Completely miscible	
Other Solubility:	No data available	
Boiling Point (°C):	189 °C (372 °F)	
Melting Point (°C):	16-19 °C (61-66 °F)	
Flash Point (°C):	87 °C (189 °F)	
Ignition Temperature (°C):	301 °C (574 °F)	
Density:	1.1 g/ml	

# **SECTION 10: STABILITY AND REACTIVITY**

Property	DMSO	
Chemical stability:	Stable under recommended storage conditions	
Conditions to avoid:	Heat, flames, sparks	

Cat# K628-100, Maltose Assay Kit

Materials to avoid:	Acid chlorides, phosphorus halides, strong acids, strong oxidizing agents, strong reducing agents	
Hazardous decomposition products:	Carbon oxides, sulfur oxides	

SDS DATE: 8May2015

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

DMSO:

Acute toxicity: LD50 Oral – rat – 14,500 mg/kg LC50 Inhalation – rat – 4 h – 40250 ppm LD50 Dermal – rabbit – >5,000 mg/kg

Skin corrosion/irritation: Skin – rabbit – no skin irritation – 4h Serious eye damage/eye irritation: Eyes – rabbit – mild eye irritation

Respiratory or skin sensitization: no data available

Germ cell mutagenicity: Genotoxicity in vitro - mouse - lymphocyte: Cytogenetic analysis

Genotoxicity in vitro - mouse - lymphocyte: Mutation in mammalian somatic cells

Genotoxicitý in vivo – rat – Intraperitoneal: Cytogenetic analysis Genotoxicity in vivo – mouse – Intraperitoneal: DNA damage

Carcinogenicity: Carcinogenicity – rat – Oral→ Tumorigenic: equivocal tumorigenic agent by RTECS criteria. Skin and appendages: other:

tumors.

Carcinogenicity – mouse – Oral→ Tumorigenic: equivocal tumorigenic agent by RTECS criteria. Leukemia skin and appendages: other: tumors.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or

confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated

carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

Reproductive toxicity: Reproductive toxicity – rat – Intraperitoneal→ Effects on fertility: abortion

Reproductive toxicity – rat – Intraperitoneal – Effects on fertility: post-implantation mortality (e.g. dead and/or resorbed implants per total number of implants)

Reproductive toxicity – rat – Subcutaneous –> Effects on fertility: post-implantation mortality (e.g. dead and/or resorbed implants per total number of implants). Effects on fertility: litter size (e.g. # fetuses per litter; measured before birth)

Reproductive toxicity – mouse – Oral  $\rightarrow$  Effects on fertility: post-implantation mortality (e.g. reduction in number of implants per female; total number of implants per corpora lutea). Effects on embryo/fetus: Fetotoxicity (except death, e.g. stunted fetus). Specific developmental abnormalities: musculoskeletal system.

**Teratogenicity:** Developmental toxicity – mouse – Intraperitoneal: Effects on embryo/fetus: Fetotoxicity (except death, e.g. stunted fetus). Specific developmental abnormalities: musculoskeletal system

Specific target organ toxicity - single exposure (GHS): no data available

Specific target organ toxicity - repeated exposure (GHS): no data available

Aspiration hazard: no data available

**Potential Health Effects** 

**Inhalation:** May be harmful if inhaled. May cause respiratory tract irritation. **Skin:** May be harmful if absorbed through skin. May cause skin irritation.

Eyes: May cause eye irritation.

Ingestion: May be harmful if swallowed.

**Aggravated Medical Condition:** Avoid contact w/DMSO solutions containing toxic materials or materials with unknown toxicological properties. DMSO is readily absorbed through skin and may carry such materials into the body.

Signs and Symptoms of Exposure: Effects due to ingestion may include: nausea, fatigue, and/or headache.

Additional information: RTECS: PV6210000

# SECTION 12: ECOLOGICAL INFORMATION

# DMSO:

Persistence and degradability: no data available

**Toxicity:** Toxicity to fish → LC50 - Pimephales promelas (fathead minnow) - 34,000 mg/l - 96 h

LC50 - Oncorhynchus mykiss (rainbow trout) - 35,000 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates → EC50 - Daphnia pulex (Water flea) - 27,500 mg/l

Toxicity to algae → EC50 - Lepomis macrochirus (Bluegill) - > 400,000 mg/l - 96 h

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available Other adverse effects: no data available

# **SECTION 13: DISPOSAL CONSIDERATIONS**

**Product:** Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging: Dispose of as unused product.

Cat# K628-100, Maltose Assay Kit

#### **SECTION 14: TRANSPORT INFORMATION**

DOT (US): UN-Number: 1993, Class: CBL, Packing group: III; Proper shipping name: Combustible liquid, n.o.s. (Dimethyl sulfoxide); Marine pollutant: No; Poison Inhalation Hazard: No

SDS DATE: 8May2015

IMDG: Not dangerous goods. IATA: Not dangerous goods.

### **SECTION 15: REGULATORY INFORMATION**

OSHA Hazards: DMSO: Combustibile liquid, Target organ effect

SARA 302 Components: SARA 302: No chemical in this material are subject to the reporting requirements of SARA Title III, Section 302. SARA 313 Components: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. SARA 311/312 Hazards DMSO: Fire Hazard, Chronic Health Hazard

Massachusetts Right To Know Components: No components are subject of the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components: <u>Dimethyl sulfoxide</u>, CAS-No. 67-68-5 New Jersey Right To Know Components: Dimethyl sulfoxide, CAS-No. 67-68-5

California Prop. 65 Components: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### **EU** regulations

Component	Risk Phrases	Safety Phrases
DMSO	R10, R36/37/38	S24/25, S36/37/39, S45

### **SECTION 16: OTHER INFORMATION**

#### DISCLAIMER:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. BioVision, Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.